

Genie. The genius amongst scrubbing machines, scrubs, dries and sanitises in a single pass.



Genie E/B/Bs

Genie. The market genius

Genie is a small walk behind scrubbing machine ideal for easy automation of mop cleaning systems. Genie is available in mains or battery-powered versions.

Results are immediately evident, cleaning times and running costs are drastically reduced.

Operator fatigue and repetitive strain injury are considerable lessened and productivity is exponentially increased.

Genie revolutionises the traditional cleaning market, considering that 90% of up to 1000 sqm areas are still cleaned with extremely expensive and poorly effective manual systems.



Genie is suitable for cleaning small-size and congested areas:

offices, restaurants, coffee bars, wellness centres, hairdressers, boutiques, launderettes, school rooms, GP, dental and vet clinics, chemist shops, nursing homes, theatres, kitchens, laboratories, supermarkets, butchers' shops, railway and underground trains, airports, dwellings, hotels etc.



Genie. The cleaning genius, on bends...

Thanks to the innovative parabolic squeegee which swings around the brush, the Genie is the only scrubbing machine that scrubs and dries perfectly even on bends without having to keep on a straight line.



... around corners and along walls

Genie is designed with a handle bar which ensures 180° flexibility.

This design is absolutely essential for:

- effortless cleaning around corners avoiding complex manoeuvres
- folding down the handle bar for greater ease of transport and storage
 easy low level cleaning (under desks & tables)





... and under tables.

(especially with Genie Bs, the sweeping version with cylindrical brushes)



Genie Bs.
Thanks to the low profile design of the solution tank, the Genie Bs can scrub under shelves and fixtures as low as 38 cm from the floor


Genie Bs.
Thanks to its front
squeegee, it ensures drying in
both directions

Genie removes dirt thoroughly unlike traditional mopping systems.
Genie leaves floors perfectly dry, minimising high risk slip and trip accidents.



The relief valve on the solution tank cap ensures constant water flow to the floor for even cleaning results





Genie Bs

the Genie which sweeps and scrubs in one action. Cylindrical brush cleaning ideal for safety and tiled flooring.



Cylindrical brushes are ideal for grout cleaning in catering and leisure facilities.

Simple hopper access allows pulled debris to be emptied easily



Genie.

A genius in terms of runtime and user friendliness

Genie B/Bs is perfect for cleaning highly congested areas and one battery charge is designed for a standard cleaning shift.

Easy battery replacement offers runtime capability to cover several cleaning session.





Genie; compact without compromise

Thanks to its size,
Genie can be stored folded vertically.
Attention: on the battery-powered version,
this operation is only recommended with gel
batteries

Genie B comes with a 12V/6A built-in battery charger

Battery recharging is extremely easy because of the Genie plug in and leave design, no external charge to damage



Genie is user-friendly:

just fill up the solution tank with water and detergent, fit the brush and lower the squeegee to start operating.

Genie E/B
 Automatic brush coupling system.

 For automatic brush coupling and release, just apply a light impulse to the safety switch that is fitted on the handle bar

Genie E; the electrical version with cable, is ideal for cleaning small areas and provides endless runtime.

The practical hook
enables easy cable storage
when the machine is operating or,
otherwise, as cable holder
(15 m extension cable is available
as optional extra on request)



Genie.The sanitisation genius

Cleaning and maintaining your Genie is effortless thanks to easy tank removal and filter access.

The Genies high-quality components ensure long life and reliability, delivering low full life costs.

Thanks to the use of plastic materials (polyethylene), aluminium and steel, the components of Genie B never rust.



Simple and practical thorough cleaning of the suction filter



 The recovery tank can be effortlessly pulled out for easy emptying



Periodic cleaning of the squeegee hose to ensure efficient suction



For excellent drying performance, the squeegee rubbers should be always be kept clean. When worn out, the squeegee rubbers are very easy to replace

Genie E is supplied complete with: brush or pad holder.
Genie B is supplied complete with: gel battery, built-in battery charger and brush or pad holder.
Genie Bs is supplied complete with: gel battery, built-in battery charger and cylindrical brushes.



TECHNICAL DESCRIPTION		GENIE E	GENIE B	GENIE Bs
Squeegee width	mm	450	450	525
Brush Ø	mm	350	350	110 x 335
Brush motor	V/Hz-V/W	220-230/50-250	12/250	12/250
Brush rpm	rpm	140	140	450
Brush pressure	kg	18	20	14,5
Suction motor	V/Hz-V/W	220-230/50-220	12/250	12/240

TECHNICAL DESCRIPTION		GENIE E	GENIE B	GENIE Bs
Type of drive		semi aut.	semi aut.	semi aut.
Battery compartment dimensions (L x h x w) n	nm	-	174-235-286	174-235-286
Max gradient at full load	%	2	2	2
Battery V/Ah (C5	-	12/75	12/75
Battery weight	kg	-	25	25
Machine weight (without battery)	Kg	35	42	42

	Electromagnetic compatibility Emission standard	Working width cm	Number of brushes	Supply V/Hz traction	Solution tank I	Recovery tank I	Working width up to m²/h	Machine dimensions mm L x h x w	Weight without battery kg
GENIE E	EN 55014-1		1	230/50/semi aut.	8	10	800	620x1050x440	35
GENIE B	EN 61000-6-3 (2002)		1	12/semi aut.	10	10	1000	682x1115x440	42
GENIE Bs	EN 61000-6-3 (2002)		2	12/semi aut.	10	10	1010	718x1105x460	42



24 months extended warranty



Fimap Certified
Quality

For any additional information or for a demo please contact your usual Fimap dealer

Dealer's stamp



www.fimap.com

Fimap Spa reserves the right, at anytime, to make technical and/or equipment modifications without prior notification. The images are shown as reference only and are not binding as to the actual design and/or equipment – Copyright © Fimap 2009 COD. 301521 – AD – 04–2013

An ISO 9001:2008, ISO 14001:2004, OHSAS 18001:2007 Organisation certified by Q.C.B. Italy

FIMAP spa - Via Invalidi del Lavoro, 1 - 37050 S. Maria di Zevio - Verona - Italy Tel. +39 045 6060411 - Fax +39 045 6060417 - E-mail: fimap@fimap.com

